

• •


Fabric

HY

Material	100%polyester	材质	100%涤纶
Weight	510	克重	510
Width	140CM	幅宽	140CM
Abrasion Resistance	>50000rpm	耐磨度	>50000转
Cleanng	Attention to high temperature, dry cleaning, washing, non-bleaching, drying	面料养护	注意高温, 干洗、水洗、不可漂白、烘干



HY-5035



HY-5000



HY-5014




HY-5015



HY-5006



HY-5028



HY-5032



HY-5034

LIDO


Material	100%polyester	材质	100%涤纶
Weight	510	克重	450
Width	140CM	幅宽	144CM
Abrasion Resistance	>50000rpm	耐磨度	>40000转
Cleanng	Attention to high temperature, dry cleaning, washing, non-bleaching, drying	面料养护	注意高温, 干洗、水洗、不可漂白、烘干



LIDO-40



LIDO-09



LIDO-48




LIDO-140




LIDO-54

MINA


Material	100%polyester	材质	100%涤纶
Weight	430	克重	430
Width	145CM	幅宽	145CM
Abrasion Resistance	>40000rpm	耐磨度	>40000转
Cleanng	Attention to high temperature, dry cleaning, washing, non-bleaching, drying	面料养护	注意高温, 干洗、水洗、不可漂白、烘干




MINA-20



MINA-16



MINA-21



MINA-18




MINA-23



MINA-36



MINA-41




MINA-02




MINA-40

VICO

Material	93% polyester 5% cotton 2% nylon	材质	93%涤纶5%棉2%尼龙
Weight	390g/m²	克重	390g/m²
Width	160cm	幅宽	160cm
Abrasion Resistance	>40000rpm	耐磨度	>40000转
Cleanng	Pay attention to high temperature, exposure, dry cleaning, washing, not bleaching, drying	面料养护	注意高温、暴晒, 干洗、水洗、不可漂白、烘干




VICO-09




VICO-23



VICO-39



VICO-33



VICO-41



VICO-21



VICO-13

• •

Fabric

SUNDAY


Material	100%polyester	材质	100%涤纶
Weight	510	克重	380
Width	140CM	幅宽	140CM
Abrasion Resistance	>50000rpm	耐磨度	>40000转
Cleannng	Attention to high temperature, dry cleaning, washing, non-bleaching, drying	面料养护	注意高温, 干洗、水洗、不可漂白、烘干




SUNDAY-83




SUNDAY-10



SUNDAY-62




SUNDAY-21




SUNDAY-35



SUNDAY-45



SUNDAY-158



SUNDAY-53




SUNDAY-69

RUBY

Composition	95%polyester,5%acrylic	成分	95%涤纶
Width	142±2cm	幅宽	142±2厘米
Weight	440g/m	克重	440克/㎡
Color fastness to rubbing	Dry ≥4.0 , Wet≥3-4	摩擦色牢度	干磨≥4.0, 湿磨≥3-4
Abrasion	>25000 rubs	耐磨性能	>25000转



RUBY-456



RUBY-452



RUBY-151



RUBY-102




RUBY-355




RUBY-303

FLOWER

Material	100%polyester	材质	100%涤纶
Weight	365±12gm²	克重	365±12g/m²
Width	145cm±5cm	幅宽	145cm±5cm
Abrasion Resistance	>40000rpm	耐磨度	>40000转
Cleannng	Attention to high temperature, dry cleaning, washing, non-bleaching, drying	面料养护	注意高温, 干洗、水洗、不可漂白、烘干



FLOWER-07




FLOWER-10




FLOWER-20



FLOWER-17



FLOWER-13




FLOWER-32



FLOWER-41




FLOWER-52




FLOWER-47



FLOWER-48



FLOWER-34



FLOWER-28

WALES

Composition	100%polyester	成分	100%涤纶
Width	142±2cm	门幅	142±2厘米
Weight	550g/m	克重	550克/m
Color fastness to rubbing	Dry 4.0 , Wet3-4	摩擦色牢度	干磨4.0, 湿磨3-4
Piling	4.0@(5000rubs)	抗起毛起球	4.0@(5000转)
Abrasion	>40000 rubs	耐磨性能	>40000转



WALES-170



WALES-101

• •


Fabric

MLE

Wide	140cm	宽幅	140cm
Weight	428g/m²	克重	428g/m²
Width	1.15	厚度	1.15
Color fastness to alcohol	Lv.4	耐酒精色牢度	4级
Fastness to breaking	≥150000times	常温耐折牢度	≥150000次
Tensile load	warp-wise ≥350times, Warp- direction ≥250times	拉伸负荷	径向≥350次 纬向≥250次
Wear-resistant	CS-10,500g,500R	耐磨	CS-10,500g, 500R




MLE-01



MLE-02



MLE-03



MLE-04



MLE-05



MLE-06



MLE-07



MLE-08

ART1

Wide	137cm±2cm	宽幅	137cm±2cm
Width	0.9	厚度	0.9
Tensile load	warp-wise ≥354times, Warp- direction ≥180times	拉伸负荷	径向≥384次 纬向≥180次



ART1-01



ART1-02



ART1-03



ART1-04



ART1-05



ART1-06



ART1-07

LEA1

Width	1.2-1.4	厚度	1.2-1.4
Attrition	≥500times	磨耗	≥500次
Color	90%	颜色 (与样品比)	90%
Color fastness to rubbing	Dry ≥500times/9N Wet ≥250times/9N	摩擦色牢度	干擦≥500次/9N 湿擦≥250次/9N



LEA1-01



LEA1-02



LEA1-03



LEA1-04



LEA1-05

LEA2

Width	1.2-1.4	厚度	1.2-1.4
Attrition	≥500times	磨耗	≥500次
Color	90%	颜色 (与样品比)	90%
Color fastness to rubbing	Dry ≥500times/9N Wet ≥250times/9N	摩擦色牢度	干擦≥500次/9N 湿擦≥250次/9N



LEA2-01



LEA2-02



LEA2-03



LEA2-04